## **Amendment to the Claims**:

The listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims:**

Claims 1-21 (canceled).

- 22. (currently amended) A system comprising a desktop stand and a cellular mobile phone, the desktop stand comprising a loudspeaker and a connection connecting the loudspeaker to an audio signal from the cellular mobile phone, the cellular mobile phone comprising a radio receiver and/or digital audio player for producing the audio signal, the cellular mobile phone further comprising a connection for routing the audio signal to the loudspeaker, a timer or clock to activate the radio receiver and/or audio signal player to route the audio signal to the loudspeaker, and a control for temporarily interrupting the audio signal from the loudspeaker.
- 23. (previously presented) A system according to claim 22, wherein the desktop stand is provided with a button which activates interruption of the audio signal and/or a button for ending the audio signal.
- 24. (previously presented) A system according to claim 22, in which the audio signal is interrupted for only a predetermined time.

- 25. (previously presented) A system according to claim 22, in which the amplitude of the audio signal is after activation, gradually increased until a predetermined level.
- 26. (previously presented) A system according to claim 22, in which the desktop stand comprises a connector for conducting DC current to corresponding counterparts on the cellular mobile phone.
- 27. (previously presented) A system according to claim 22, in which the desktop stand includes a DC power source.
- 28. (previously presented) A system according to claim 22, in which the desktop stand comprises an amplifier which amplifies the audio signal before routing to the loudspeaker.
- 29. (previously presented) A system according to claim 22, in which a full screen size of a display on the mobile phone is used to display an actual time when the cellular mobile phone is placed on the desktop stand.
- 30. (previously presented) A system according to claim 22, in which the desktop stand further comprises a microphone and a connection for routing a signal from the microphone to the mobile phone, so that the system may be used as a speakerphone.

- 31. (previously presented) A system according to claim 22, in which the desktop stand comprises a connector and the mobile phone has a counterpart connection for transmitting the audio signal from the cellular mobile phone to the desktop stand.
- 32. (previously presented) A system according to claim 22, in which the mobile phone comprises a menu controlled programmable alarm clock allowing selection of the desired audio signal source.
- 33. (previously presented) A use of a cellular mobile phone having a radio receiver and/or digital audio player associated with a desktop stand having a loudspeaker comprising: producing an audio signal using a programmable alarm clock which activates the radio receiver or audio signal player to route the audio signal which is played through the loudspeaker as a clock radio and a control on the desktop stand for temporarily interrupting the audio signal from the loudspeaker.
- 34. (previously presented) A cellular mobile phone comprising a radio receiver and/or digital player for producing an audio signal, a timer or clock to activate the radio receiver and/or the digital player to play the audio signal with a loudspeaker, the mobile phone further comprising charging contacts arranged on an outer surface of the cellular mobile phone which allow contact with counterparts of a desktop stand, the

cellular mobile phone further comprising contacts on an external surface of the cellular mobile phone which allow contact with counterparts arranged on the desktop stand for routing the audio signal to the desktop stand, and a control on the desktop stand for temporarily interrupting the audio signal from the loudspeaker.

- 35. (previously presented) A mobile phone according to claim 34, wherein the cellular mobile phone further comprises a timer or clock to activate the radio receiver and/or audio signal player.
- 36. (previously presented) A mobile phone according to claim 34, in which a major part of a display on the cellular mobile phone is used to display a current time when the charging contacts and the contacts for routing the audio signal to the desktop stand are in contact with counterparts thereof of the desktop stand.
- 37. (previously presented) A cellular mobile phone according to claim 34, in which the cellular mobile phone comprises a menu controlled programmable alarm clock allowing selection of the desired audio signal source.

- 38. (previously presented) A desktop stand comprising a loudspeaker and a cradle for receiving a cellular mobile phone, the cradle being provided with charging contacts which allow contact with counterparts of the cellular mobile phone and the cradle including contacts which allow contact with counterparts of the cellular mobile phone receiving an audio signal from the cellular mobile phone and routing the audio signal to the loudspeaker and having a control located on the cradle for temporarily interrupting the audio signal from the loudspeaker.
- 39. (previously presented) A desktop stand according to claim 38, wherein the desktop stand is provided with a button which activates interruption of the audio signal and/or a button which activates ending the audio signal.
- 40. (previously presented) A desktop stand according to claim 38, further comprising a DC power source.
- 41. (previously presented) A desktop stand according to claim 38, in which the audio signal is interrupted for only a predetermined time.
- 42. (previously presented) A desktop stand according to claim 38, further comprising an amplifier, which amplifies the audio signal before routing to the loudspeaker.

- 43. (previously presented) A system according to claim 22, in which the desktop stand comprises an amplifier associated with a volume button on the desktop stand which amplifies the audio signal before routing to the loudspeaker.
- 44. (previously presented) A system according to claim 22, in which a full screen size of a display on the cellular mobile phone is used to display an actual time when the cellular mobile phone is placed on the desktop stand when screen back lights are activated.
- 45. (previously presented) A cellular mobile phone according to claim 34, in which a major part of a display on the cellular mobile phone is used to display a current time when the charging contacts and the contacts for routing the audio signals to the desktop stand are in contact with counterparts thereof the desktop stand when screen back lights are activated.
- 46. (previously presented) A desktop stand according to claim 38, further comprising a DC power source connected to an external detachable DC power source.

>

- 47. (previously presented) A desktop stand according to claim 38, further comprising an amplifier associated with a volume button on the desktop stand which amplifies the audio signal before routing to the loudspeaker.
- 48. (previously presented) A system according to claim 22, in which the desktop stand includes a connection to be connected to an external DC power source.